PCT







INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7:		(11) International Publication Number	r: WO 00/54548
H04R	A2	(43) International Publication Date:	14 September 2000 (14.09.00)

GB

(21) International Application Number: PCT/GB00/00773

(22) International Filing Date: 6 March 2000 (06.03.00)

(71) Applicant (for all designated States except US): NEW TRANS-

5 March 1999 (05.03.99)

(71) Applicant (for all designated States except US): NEW TRANS-DUCERS LIMITED [GB/GB]; 37 Ixworth Place, London SW3 3QH (GB).

(72) Inventor; and

(30) Priority Data:

9905038.7

(75) Inventor/Applicant (for US only): AZIMA, Henry [CA/GB]; 3 Southacre Close, Chaucer Road, Cambridge CB2 2TT (GB).

(74) Agent: MAGUIRE BOSS; 5 Crown Street, St. Ives, Cambridgeshire, PE17 4EB (GB).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).


Published

Without international search report and to be republished upon receipt of that report.

(54) Title: ELECTRONIC APPARATUS

(57) Abstract

Electronic apparatus incorporating a loudspeaker, wherein the loudspeaker comprises a bending wave panel member having a user-accessible surface, an electro-acoustic vibration exciter on the panel member to introduce bending wave energy into the panel member in response to an electrical signal applied thereto, and at least one touch sensitive area on or associated with the said user-accessible surface and responsive to user contact.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

							11
AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
ΑT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
ΑZ	Azerbaijan	GB	United Kingdom	MC	Моласо	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	
BG	Bulgaria	HU	Hungary	· ML	Mali	TT	Turkey
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Trinidad and Tobago Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	
BY	Belarus	IS	Iceland	MW	Malawi		Uganda
CA	Canada	IT	Italy	MX	Mexico	US	United States of America
CF	Central African Republic	JP	Japan	NE	Niger	UZ	Uzbekistan
CG	Congo	KE	Kenya	NL	Netherlands	VN	Viet Nam
CH	Switzerland	KG	Kyrgyzstan	· NO	Norway	YU	Yugoslavia
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand	zw	Zimbabwe
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT			
CU	Cuba	KZ	Kazakstan	RO	Portugal Romania		
CZ	Czech Republic	LC	Saint Lucia				
DE	Germany	LI	Liechtenstein	RU	Russian Federation		
DK	Denmark	LK	Sri Lanka	SD	Sudan		
EE	Estonia	LR	Liberia	SE	Sweden		
~~	Lotoma	LK	Libena	SG	Singapore		



5

TITLE: ELECTRONIC APPARATUS

10

DESCRIPTION

15

TECHNICAL FIELD

The invention relates to electronic or electrical apparatus (hereinafter 'electronic apparatus' in the following description and claims) incorporating a loudspeaker, more particularly a bending wave panel loudspeaker, e.g. of the kind described in WO97/09842.

BACKGROUND ART

Loudspeakers as described in W097/09842 are known as 25 distributed mode, or DM, loudspeakers and it is also known from W097/09842 to teach the incorporation of bending wave panel loudspeakers in electronic apparatus such as portable compact-disc players, laptop computers, musical instruments

and vending machines etc.

It is an object of the invention to enhance the functionality of electronic apparatus incorporating a bending wave loudspeaker to enable direct user input, e.g. to control or operate the electronic apparatus Such apparatus may be of widely different kinds, e.g. cellular telephones, vending machines, domestic appliances etc.

DISCLOSURE OF INVENTION

electronic apparatus incorporating a loudspeaker, wherein the loudspeaker comprises a bending wave panel member having a user-accessible surface, a vibration exciter on the panel member to introduce bending wave energy into the panel member in response to an electrical signal applied thereto, and at least one touch sensitive area on or associated with the said user-accessible surface and responsive to user contact. Thus the user responsive means may act as a touch control means, e.g. whereby the user can enter instructions or provide information or otherwise control the use of the electronic equipment.

Preferably the panel member has the capability to sustain and propagate input vibrational energy by a plurality of resonant bending wave modes in at least one operative area extending transversely of thickness, wherein the frequencies of resonant bending wave modes are interleaved in a predetermined frequency range so that resonant bending wave modes are substantially evenly

distributed in frequency and wherein the vibration exciter is mounted on said operative area of the panel member, at a preferential location or site for coupling to the resonant bending wave modes, to vibrate the panel member and excite said resonant bending wave modes in the panel member, the resonant bending wave modes in turn producing an acoustic output.

Thus for example the loudspeaker may form a control panel, e.g. for operating a vending machine of the kind

10 described in W097/09842. The invention is thus applicable to any electronic apparatus incorporating a bending wave speaker panel where a person is able to touch a portion of the panel surface, and may comprise pads or areas or switches or buttons which provide a means for instructions

15 or information to be entered to the electronic apparatus. Pressure switches may also be attached to the panel surface or embedded within the bending wave panel.

The speaker panel may incorporate other methods for presence sensing, including matrices of photodiodes and/or 20 photocells round the perimeter of the panel and which sense the position, e.g. of a finger directed at a point on the panel. Where metallised contacts are used these may be of the metal oxide film or thin metal film type.

Applications include touch screen control for

25 translucent display and lighting bending wave panel
speakers, and for automated ticket machine (ATM) and
vending machine applications. Many other categories are
indicated for example in consumer electronics such as a

speaking or sound informing touch panel for a remote control unit, whether illuminated or not. The inventive concept may be applied to a mobile telephone display of suitable area e.g. to combine a display, a loudspeaker and 5 a control panel with illumination.

User feedback of control settings via the speaker panel with incorporated switch buttons would find utility in the control sections of hi-fi and audio equipment, particularly where complex setting up is required for 10 example in home theatre systems. Also domestic appliances, e.g. dishwashers, and clothes washing machines would benefit from the addition of this technology, as would industrial instrumentation, display orientated instructions such as analysers and oscilloscopes. The invention could 15 be applied to laptop and other computer controls, points of sales data systems, personal, stock control and labelling devices, and also to automotive navigation units, automotive dashboard displays with a bending wave panel speaker, point of sale products with sound output and 20 facility for user/customer data entry or control of operational information, and similarly for educational display units for museums, zoos etc, including interactive audio visual devices.

BRIEF DESCRIPTION OF DRAWINGS

The invention is diagrammatically illustrated, by way of example, in the accompanying drawing which is a perceptive view showing a vending machine incorporating a bending wave

panel loudspeaker/touch pad.

BEST MODE FOR CARRYING OUT THE INVENTION

In the drawing there is shown a vending machine or ATM 5 (1) comprising a generally rectangular cabinet (3) having an inclined front face (10) carrying a control panel (2) and a delivery chute (4) for dispensed articles below the control panel (2).

The control panel (2) is in the form of a generally

10 rectangular resonant bending wave panel speaker (5) of the
general kind described in WO97/09842 and which is excited
by a vibration exciter (9) mounted on the inner face of the
panel speaker (5) so as not to be visible externally. The
speaker panel is supported in a suspension (7), which could

15 be resilient or clamped, supported in the front face (10)
of the cabinet.

The visible face of the control panel/speaker is printed with information (6) as to nature of the articles or products to be dispensed and the information has

- 20 associated therewith touch sensitive panels (8) so that a purchaser can input an instruction by manual contact with the panels (8) in a manner known per se. The instructions can be confirmed and/or information can be reinforced by an audio output from the machine (1) delivered by the speaker
- 25 (5). It will be appreciated that the machine will require associated electronic equipment to replay stored audio messages and to receive input information from the touch pads, but such electronic equipment is generally

conventional.

This unique combination is possible because in contrast to the fragile cone of a conventional speaker, which may be easily damaged by finger contact, and would 5 not sustain the finger pressures of reliable touch pad actuation, a bending panel speaker is tough, indeed may be made of vandal proof materials and is relatively unaffected by finger contact. Thus the panel which forms the interface to the user/customer is an integration of speaker and user 10 data entry at the point of input and the speaker can provide verbal reply to the data entered in addition to leading the user through the usual questions associated with a sale.

The touch pads may have a surface embossing or similar 15 so that persons of impaired sight may use the keyboard represented by the touch pads and be helped by the relevant audio feedback from the speaker/touch pads and be helped by the relevant audio feedback from the speaker/touch pad device.

Evidently other applications for the device may be found for the control panels of many appliances such as washing machines, toasters etc. room thermostats sound and light controllers, burglar alarm control panels. Also automotive controls panels where the speaker device may 25 also be an integral part of trim or constructional parts such as the dashboard

The touch sensing may be capacitative or pressure sensitive via thin laminated films, or be micro reflex

switches, or by paired and/or interdigitated conductive regions.

INDUSTRIAL APPLICABILITY

7

The invention thus provides a resonant panel loudspeaker of increased functionality.

CLAIMS


- 1. Electronic apparatus incorporating a loudspeaker, wherein the loudspeaker comprises a bending wave panel member having a user-accessible surface, an electro-
- 5 acoustic vibration exciter on the panel member to introduce bending wave energy into the panel member in response to an electrical signal applied thereto, and at least one touch sensitive area on or associated with the said user-accessible surface and responsive to user contact.
- 2. Apparatus according to claim 1, wherein the panel member has the capability to sustain and propagate input vibrational energy by a plurality of resonant bending wave modes in at least one operative area extending transversely of thickness, wherein the frequencies of resonant bending
- 15 wave modes are interleaved in a predetermined frequency range so that resonant bending wave modes are substantially evenly distributed in frequency and wherein the vibration exciter is mounted on said operative area of the panel member, at a preferential location or site for coupling to
- 20 the resonant bending wave modes, to vibrate the panel member and excite said resonant bending wave modes in the panel member, the resonant bending wave modes in turn producing an acoustic output.
 - 3. Apparatus according to claim 1 or claim 2,
- 25 wherein the said at least one touch sensitive area comprises a pad, switch or button which provides a means for instructions or information to be entered.
 - 4. Electronic apparatus according to claim 1 or



claim 2, comprising written instructions on the bending wave panel member and associated with the at least one touch sensitive area.

- 5. A vending machine comprising a control panel and 5 a delivery chute for dispensed product, wherein the control panel incorporates a bending wave panel loudspeaker having a user-accessible surface, an electro- acoustic vibration exciter on the panel to introduce bending wave energy into the panel in response to an electrical signal applied
- 10 thereto, at least one touch sensitive area on or associated with the said user-accessible surface and responsive to user contact and visible instructions on the panel and associated with the at least one touch sensitive area.
- 6. A vending machine according to claim 5, wherein the panel member has the capability to sustain and propagate input vibrational energy by a plurality of resonant bending wave modes in at least one operative area extending transversely of thickness, wherein the frequencies of resonant bending wave modes are interleaved
- in a predetermined frequency range so that resonant bending wave modes are substantially evenly distributed in frequency and wherein the vibration exciter is mounted on said operative area of the panel at a preferential location or site for coupling to the resonant bending wave modes, to
- 25 vibrate the panel and excite said resonant bending wave modes in the panel, the resonant bending wave modes in turn producing an acoustic output.

Figure 1



(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 14 September 2000 (14.09.2000)

PCT

(10) International Publication Number WO 00/54548 A3

(51) International Patent Classification?: F 7/06, G07F 11/00, 9/02

H04R 1/02,

(21) International Application Number: PCT/GB00/00773

(22) International Filing Date: 6 March 2000 (06.03.2000)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 9905038.7

5 March 1999 (05.03.1999) GB

- (71) Applicant (for all designated States except US): NEW TRANSDUCERS LIMITED [GB/GB]; 37 Ixworth Place, London SW3 3QH (GB).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): AZIMA, Henry [CA/GB]; 3 Southacre Close, Chaucer Road, Cambridge CB2 2TT (GB).
- (74) Agent: MAGUIRE BOSS; 5 Crown Street, St. Ives, Cambridgeshire, PE17 4EB (GB).

- (81) Designated States (national): AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).


Published:

- With international search report.

(88) Date of publication of the international search report:
4 January 2001

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: ELECTRONIC APPARATUS INCORPORATING A LOUDSPEAKER COMPRISING A BENDING WAVE PANEL MEMBER



(57) Abstract: Electronic apparatus incorporating a loudspeaker, wherein the loudspeaker comprises a bending wave panel member having a user-accessible surface, an electro-acoustic vibration exciter on the panel member to introduce bending wave energy into the panel member in response to an electrical signal applied thereto, and at least one touch sensitive area on or associated with the said user-accessible surface and responsive to user contact.



00/54548 A3



International Application No
PCT/GB 00/00773

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 H04R1/02 H04R H04R7/06 G07F11/00 G07F9/02 According to International Patent Classification (IPC) or to both national classification and IPC B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) GO7F HO4R IPC 7 Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) WPI Data C. DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. Y WO 97 09842 A (AZIMA HENRY ; HARRIS NEIL 1,5 (GB); COLLOMS MARTIN (GB); VERITY GROUP P) 13 March 1997 (1997-03-13) cited in the application page 77, line 28 -page 78, line 29; 2 Α figures 47,48 GB 2 289 360 A (OMC ELECTRONICS LIMITED) 1,5 15 November 1995 (1995-11-15) page 1, line 2 -page 3, line 19; figures 3,4,6 US 5 482 139 A (RIVALTO MICHAEL A) 5,6 9 January 1996 (1996-01-09) column 2, line 26 -column 3, line 62; figures 2,5 Further documents are listed in the continuation of box C. Patent family members are listed in annex. Special categories of cited documents : "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international "X" document of particular relevance; the claimed invention filing date cannot be considered novel or cannot be considered to "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the "O" document referring to an oral disclosure, use, exhibition or document is combined with one or more other such docu ments, such combination being obvious to a person skilled other means document published prior to the international filing date but later than the priority date claimed . "&" document member of the same patent family Date of the actual completion of the international search Date of mailing of the international search report 8 September 2000 15/09/2000 Name and mailing address of the ISA Authorized officer European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Gastaldi, G Fax: (+31-70) 340-3016

1





ategory *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.	
\	US 4 554 419 A (KING EDDIE W ET AL) 19 November 1985 (1985-11-19) column 1, line 60 -column 3, line 24; figures	5,6	
	US 5 445 295 A (BROWN GRAHAM) 29 August 1995 (1995-08-29) column 7, line 29 -column 8, line 7; figure 3	5,6	
	•		
	Ţ		
		4	

1

information on patent family members

International Application No
PCT/GB 00/00773

	document earch report	:	Publication date		ent family ember(s)	Publication date
10 97	09842		13-03-1997	AU	702863 B	11-03-1999
		• •		AU	6880596 A	27-03-1997
				BR	9610355 A	21-12-1999
					69605123 D	16-12-1999
					69605123 T	06-04-2000
				EP	0847661 A	17-06-1998
					11512249 T	19-10-1999
				NZ	316547 A	28-10-1999
				SI	847661 T	29-02-2000
				SK	25398 A	09-09-1998
				AT	177579 T	15-03-1999
				AT	177574 T	15-03-1999
				AT	177580 T	15-03-1999
				AT	177575 T	15-03-1999
				AT	186617 T	15-11-1999
				AT	177581 T	15-03-1999
				AT	177582 T	15-03-1999
				AT	177583 T	15-03-1999
				ÂŤ	177578 T	15-03-1999
				AT	177576 T	15-03-1999
				AT	177570 T 179297 T	15-05-1999
						15-03-1999
				AT	177577 T	
				AT	179563 T	15-05-1999
			•	AT	176826 T	15-03-1999
			· ·	AT	179045 T	15-04-1999
				ΑT	179296 T	15-05-1999
				ΑT	177281 T	15-03-1999
				ΑT	179564 T	15-05-1999
				AT	177282 T	15-03-1999
				AT	179043 T	15-04-1999
				AT	179044 T	15-04-1999
				ΑÜ	702865 B	11-03-1999
				AU	6880196 A	27-03-1997
				AU	702920 B	11-03-1999
•					702920 В 6880296 A	27-03-1997
				AU		11-03-1999
				AU	702867 B	
				AU	6880396 A	27-03-1997
				AU	703015 B	11-03-1999
				AU	6880496 A	27-03-1997
				AU	702873 B	11-03-1999
				AU	6880696 A	27-03-1997
				ΑU	702999 B	11-03-1999
				AU	6880796 A	27-03-1997
				AU	703061 B	11-03-1999
		•		AU	6880896 A	27-03-1997
				AU	703000 B	11-03-1999
				AU	6880996 A	27-03-199
				AU	703071 B	11-03-199
					/U3U/1 B	11-02-144
GB 2	289360	Α	15-11-19 9 5	NONE		
US 5	482139	Α	09-01-1996	AU	692106 B	28-05-1998
JJ J		• • •	· · · · · · · · · · · · · · · · · · ·	AŬ	5988196 A	04-09-199
				CA	2211584 A	22-08-1996
				EP	0752042 A	08-01-199
			•	JP	2811373 B	15-10-1998
				JP	9511856 T	25-11-199
				. 12		/ 7 1 1 44
				WO	9625573 A	22-08-1996

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No PCT/GB 00/00773

Patent document cited in search report		Publication date	Patent family member(s)		Publication date	
US 4554419	A	19-11-1985	AU	578255 B	20-10-1988	
			AU	3582284 A	06-06-1985	
			BR	8405120 A	24-09-1985	
			CA	1239680 A	26-07-1988	
			DE	3443796 A	13-06-1985	
			ES	538133 D	01-09-1986	
			ES	8609780 A	16-12-1986	
			FR	2556116 A	07-06-1985	
			GB	2151081 A,B	10-07-1985	
			GR	81091 A	07-03-1985	
			IT	1178647 B	09-09-1987	
			JP	60153591 A	13-08-1985	
			KR	9207907 B	19-09-1992	
			MX	162297 A	22-04-1991	
			. ZA	8409116 A	31-07-1985	
US 5445295	US 5445295 A		NONE			

This Page Blank (uspto)